

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl No.:

Stephen Creaney; Richard John Ferguson; Philip Lane; Thomas Crummey

09/437,004

Filed:

November 9, 1999

Group Art Unit 2734

For:

"Data Communications Link"

**Assistant Commissioner for Patents** Washington, DC 20231

January 13, 2000

## SUBMITTAL OF FORMAL DRAWINGS

Sir:

Enclosed herewith is one set (six sheets) of formal drawings. It is requested that these drawings be substituted for the originally filed informal drawings.

Respectfully submitted,

Samuel G. Layton, Jr. Registration No. 22,807

## **ALSTON & BIRD LLP**

Post Office Drawer 34009 Charlotte, NC 28234-4009 Tel Charlotte Office (704) 331-6000 Fax Charlotte Office (704) 334-2014

#### **CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Box Missing Parts, Assistant Commissioner for Patents, Washington, DC 20231, on January 13, 2000.

CLT01/4400012v1








Fig. 1










# ALPHA IS MULTI-LEVEL Tx / BINARY Rx, BETA IS MULTI-LEVEL Rx / BINARY Tx : UP/\*DOWN\_MIN IS A CONTROL SIGNAL USED TO INCREASE OR DECREASE THE ALPHA LASER BIAS DRIVE CURRENT


INITIAL SIGNAL STATES: UP/\*DOWN\_MIN='I'TO'0'(INITIATES MIN\_CAL\_ALPHA)



## ALPHA IS MULTI-LEVEL Tx / BINARY Rx, BETA IS MULTI-LEVEL Rx / BINARY Tx UP/\*DOWN\_MAX IS A CONTROL SIGNAL USED TO INCREASE OR DECREASE THE ALPHA LASER MODULATION DRIVE CURRENT

300

INITIAL SIGNAL STATES: UP/\*DOWN\_MAX='0' TO '1' (INITIATES MAX\_CAL\_ALPHA)






Fig. 7




Fig. 8